

CLASS 7330

GALLEY HAND TOOLS and UTENSILS

BAG, PASTRY DECORATING

Cotton Duck pastry bag. Tapers from 13.500 in. dia at top to 1.250 in. dia at bottom, 21 in. lg. Used with pastry decorating tip set, see 7330-00-286-1216. Mil Spec Mil-B-43565.



00-264-3593


BLADE, MEAT TENDERIZER

Stainless Steel, 2.262 in. OD x .036 in thk with .627 in. dia center hole.

00-045-7130

BOARD, FOOD CHOPPING AND SLICING

Styrene Rubber food chopping and slicing board. Dimensions shown in inches.




Lg	W	Thk
20	15	.750
24	18	.750

00-078-5706	20	15	.750
00-900-9861	24	18	.750

BOTTLE, VACUUM

Narrow-mouth vacuum bottle. Corrosion Resisting Steel inner and outer shells. Furnished with cork or Plastic stopper, and metallic screw cap. Keeps contents at original bottling temperature. CID A-A-2573.



Qt

00-634-6555	1
00-285-4299	2

2.375 lg x 3 W x .500 thk brush portion.

00-223-8006

BOWL, FOOD MIXING

Corrosion Resisting or Stainless Steel hand mixing food bowl. CID A-A-1079.



00-262-2323 5

BUTCHER'S STEEL

Smooth High Carbon Steel blade 10 in. lg with blade guard, screw eye, swivel and compressed modified wood or molded Plastic handle. Fed Spec GGG-C-746.

00-550-7592

CAN, BEVERAGE DISPENSER

Corrosion Resisting Steel can for bulk milk dispensers. Used with refrigerated bulk milk dispenser. For milk dispensing tube, see 7310-00-866-9657. Mil Spec Mil-C-22785.

00-866-9658 5 gal.

BOWL, VACUUM COFFEE MAKER

Corrosion Resisting Steel replacement bowls. Lower bowl for 12-cup vacuum coffee maker, 7330-00-272-2481. Used with electric hot plate, 7310-00-702-7025, or electric range. For filter mechanism, see 7330-00-264-4139. CID A-A-1078.




Lower Bowl. Equipped with handle and hinged cover.

00-262-7501

CANISTER, FOOD STORAGE

Round, Aluminum food storage canisters. CID A-A-860.



Marked "COFFEE", 2 lb capacity, 6 in. dia, 5.750 in. H.

00-266-7448

BRUSH, GREASE, COOKING AND BAKING

COOKING AND BAKING BRUSH. Flat type. For coating pans and utensils with oil or shortening and applying glaze to bakery products such as bread or rolls. Dimensions shown in inches. Mil Spec Mil-B-1995.

1.875 lg x 1.500 W x .312 thk brush portion.

00-290-7152

CLEAVER, MEAT

Smooth High Carbon Steel blade, 7.750 to 8 in. long with compressed modified wood or molded Plastic handle. Fed Spec GGG-C-746.

00-241-8173

COFFEE BOILER

Aluminum coffee boiler. 2 qt capacity. Mil Spec Mil-T-1748.

00-243-6164

CLASS 7330

COLANDER

Aluminum Alloy colander. Loop type handles. 11 qt capacity. Used in galleys for straining food. CID A-A-469.

00-680-2762


Corrosion Resisting Steel Colander. Loop type handles. 16 qt capacity. Used in galleys for straining foods. CID A-A-469.



00-266-7453

CUTTER, DOUGHNUT

Corrosion Resisting Steel or Nickel Plated Carbon Steel doughnut cutter. 3 inch dia cutter. Mil Spec Mil-C-40115.



00-633-8904

CUTTER SET, COOKIE

Corrosion Resisting Steel cookie cutter set. Consists of three round straight edge cutters. 2 in., 2-1/2 in., and 3 in. dia.



00-543-7097

DREDGER, KITCHEN

Aluminum or Corrosion Resisting Steel dredger. 2.875 in. dia, 3.875 in. high. With handle. Used for sprinkling flour.



00-266-7454

EGG WHIP

Corrosion Resisting Steel French or Balloon style egg whip. Length is shown in inches..



Lg

00-205-3336 12
00-815-1458* 16
* Balloon style

FILTER, COFFEEMAKER

Brown handle. Used with Pour-o-matic VPS and VPR brewers.

01-123-8947

FOOD TURNER

CRES food turners for use in galleys and mess halls. Solid metal offset blades, polished and smoothly finished.

Cake or Steak Turner. Plastic or wood handle. 7 to 8 in. lg. 3.250 in. W blade. 15 in. O/A length.

00-634-1995


Food Turner for serving food. Plastic handle. CRES perforated blade 4.562 in. lg. 3.062 in. W. 13.500 in. O/A length.

00-810-1937

Hamburger Turner. Plastic handle, 4.500 to 5 in. lg x 3.250 in. largest width blade. 11 in. O/A length.

00-205-0617


FOR FIELD SERVICE USE. Food Service Turner. CRES handle, 4.500 in. long x 3.750 in. W blade, 21 in. O/A length. Mil Spec Mil-U-10815.



00-256-2158

GRATER, FOOD

CRES or nontoxic Plated Steel food GRATER. Half round open type with a single coarse grating surface. 12.500 in. lg. 3.875 in. W. Mil Spec Mil-G-22876.



00-272-2518

JUG, INSULATED

All metal insulated jug for hot or cold liquids. Corrosion Resisting Steel inner and outer shells. Equipped with insulated metal stopper, Rubber/Plastic gasket, screw cap, faucet and bail type handle. Jug marked "DO NOT USE FOR MILK OR MILK PRODUCTS". Fed Spec RR-J-800.



Gal

00-781-3859* 5

Two Grip Handles



00-893-8550 5

AIRCRAFT USE: To be used aboard long range aircraft for storing 2 gal of hot or cold beverage. CRES inner vessel and outer shell. Gasketed metal cover with snap locking device. Spigot included. With dry ice well. With stud located in back to lock in galley. Thermostatically controlled 28V and 115V dual heating element. Mil Spec Mil-J-25718.

00-532-5867

JUG, VACUUM

CRES vacuum jug for hot or cold liquids. Equipped with a gasket metal cover, snap locking device, air vent cap, two handles and spigot assembly. Mil Spec Mil-J-23049.



Gal

00-721-8499 3
00-819-7738 10

CRES vacuum jug for hot or cold liquids. Spigot and cam locking device provided. Fed Spec RR-J-800.

00-272-2527* 2

LADLE, KITCHEN

CRES ladles. Solid bowl style without pouring lip. Long handle with hook. O/A length in inches shown. CID A-A-1956.



	Oz	Lg
00-254-4793	2	12
00-680-0865	4	12
00-248-1153	8	15
00-685-5330	12	15
00-153-9759	72	20

LID, PLASTIC

Reusable flexible self-sealing Plastic lids. Snap-on, pull-off type.

For size 401 or 1-lb coffee cans. 4 in. dia.

00-071-5429

For size 603 or 3-lb coffee cans. 6.250 in. dia.

00-071-5430

LINER, BAKING CUP

White waxed paper baking cup liners. Uniformly fluted, 2 in. bottom dia, 1.250 in. high. For use with cup cake pans.

00-170-8382

MEASURE, LIQUID

Aluminum liquid measures. Marked in four equal divisions. With handles and pouring spout. For use in kitchens and bakeries. CID A-A-1751.

Qt

00-205-3096 2 qt cap.
00-264-5368 4 qt cap.

MEASURING SET, SPOON

Corrosion Resisting Steel measuring spoons. Set consists of 1/4, 1/2, 1 teaspoon, and 1 tablespoon measurements. Spoons are 5 in. long and held together by a Corrosion Resisting Steel ring or wire loop. CID A-A-1954.

00-272-7876

OPENER, CAN, HAND

Hand operated can openers. Fed Spec FF-O-601.

Lever type with corkscrew and bottle opener.



00-224-8081

Cutting wheel type with wing handle.




00-272-2591

Punch type with bottle opener.

00-655-5203

OPENER, CAN, MOUNTED


Mechanical can openers with magnetic lid lifters. Fed Spec FF-O-601. Table Mounted. Cuts up to and including No. 12 round cans and 9.500 in. square, oblong or pear shaped cans. 25 lb max weight supported.



00-205-3151

PADDLE, FOOD STIRRING

Stainless Steel food stirring paddle. Length and width shown in inches.



	Blade Lg	O/A Lg	Width
00-286-8070	9	42	4.5
00-577-5330*	9	54	4.5

* Material not listed


PAN, BAKING AND ROASTING

Aluminum baking or roasting pans. Equipped with two drop chest type handles. CID A-A-388.

13.250 in. lg x 9.250 in. W x 2.250 in. Dp.

00-205-3164

24 in. lg x 18 in. W x 4.500 in Dp. With reinforcing straps. When combined, form a double roaster, or can be used separately.



00-286-8069	Top
00-634-4494	Bottom


Mil Spec Mil-P-17440.
16 in. lg x 16 in. W x 4 in. Dp

00-272-2569

CLASS 7330

PAN, BAKING SHEET


Aluminum baking sheet pan. 25.125 in. long x 17.125 in. wide x 1 in. deep.



00-633-8905

PAN, BREAD

Carbon Steel bread pan sets. Pans joined together by a metal strap and treated with a Silicone release coating. CID A-A-422.



4-PAN SET

9.875 in. lg x 4.250 in. W x 2.750 in. dia individual pan compartments. 21.625 in. lg x 10.375 in. W x 2.750 in. dia overall size.

00-255-5995


5-PAN SET

11 in. lg x 5 in. W x 3.500 in. dia individual pan compartments. 28 in. lg x 11.500 in. W x 3.500 in. dia overall size.

00-255-1534

PAN, CAKE, ROUND

Round, Tin Plated Steel cake pan. 9 in. diameter, 1.313 in. dp. Fed Spec RR-P-62.



00-205-3150

PAN, FRYING


Round Corrosion Resisting Steel frying pans. 12-in dia, 2 in. deep, 10-1/4 in. long handle



00-238-3805

PAN, MUFFIN

Aluminum muffin pan. 12 cups, 1.250 in. deep. 12.875 in. lg x 9.875 in. W O/A size. CID A-A-387.



00-143-0965

PAN, PIE

Reusable Aluminum pan. 9 in. dia x 1.250 in. dp.

00-823-6883

PEELER, POTATO, HAND

Hand type potato peeler. Steel, 6.500 in. O/A length. For peeling, coring and eying vegetables and fruits.



00-238-8316

POT HOLDER

Flameproof and grease proof pot holder. Protects hands and wrists from heat and grease. Resin treated rectangular terry knit Cotton with insulated liner. Preshrunk and washable. 11 in. lg x 9 in. wide.

00-379-4439

ROLLING PIN

NOTE: WOOD ROLLING PINS ARE NOT AUTHORIZED FOR USE BY NAVAL ACTIVITIES.

Aluminum Rolling Pin. 3-1/2 in dia. Length of roller shown.

01-299-4291 18 in.

SAUCEPAN

Round sauce pans with long handles and cover. 7.500 qt CRES pot has a loop handle directly opposite regular handle for two-handle carrying.



Aluminum. Deep style. CID A-A-389.

Qt

00-205-1881 4.500
00-205-1882 8.500

SCOOP, KITCHEN

Scoops with handles. For transferring bulk food material.



Corrosion Resisting Steel, 7.875 in. lg x 5.250 in. W body. CID A-A-468.


00-153-9760

High density Polyethylene. 5 in. lg x 2 in. W x 2 in. deep body. O/A 7-3/4 in. lg.

01-079-0694

SCOOP, ICE CREAM, MECHANICAL

Corrosion Resisting Steel ice cream scoop with Plastic handle. Scoops per quart shown. CID A-A-463.



00-197-1280 6
00-197-1281 8

00-641-6870 12
00-680-0862 20
00-197-1295 30

SCRAPER, BAKER'S

Flexible Rubber blade 4.625 in. lg x 3 in. W. With Plastic handle.


00-680-2636

Rigid Steel blade, 6 in. lg x 3.875 in. W. With Plastic handle. Mil Spec Mil-S-17531.

00-205-1950

SHARPENER, KNIFE


WALL MOUNTED, MANUALLY OPERATED KNIFE SHARPENER. For use with straight-edge galley knives.



00-798-7356

SIEVE, FLOUR

BAKER'S SHAKER TYPE FLOUR SIEVE. Reinforced heavy Aluminum body and replaceable 14-mesh Aluminum screen. 16 in. top diameter, 3-1/2 in. deep.



00-815-1455

SIFTER, FLOUR, HAND

HAND HELD FLOUR SIFTER. 100.8 cu in. hopper capacity.

00-184-0089

SKIMMER, KITCHEN

Corrosion Resisting Steel skimmers. Perforated blade and handle with hooked end. 6.375 Inch diameter blade. 19.500 in. O/A lg.



00-680-2635

SPATULA

Corrosion Resisting or Stainless Steel spatulas with compressed modified wood or Plastic handles. For food service use. Blade length shown. Fed Spec GGG-C-746.

00-254-4791* 8 in.
* CRES spring temper blade

STRAINER, CHINA CAP


Aluminum China cap strainer. 10 in. top diameter. With pestle. 5.500 qt capacity.



00-815-1456

STRAINER, POT


Corrosion Resisting Steel pot strainer. 10 in. top diameter, 5.625 in. dp, 9.500 in. long handle. Mil Spec Mil-S-40104.



00-656-0879

TIP SET, PASTRY DECORATING


Tin Plated Steel pastry decorating tubes. Plain tips, 10 sizes, Nos. 0P through 9P. Used with pastry decorating bag. See 7330-00-264-3593. Mil Spec Mil-B-43565.



00-286-1216

TONGS, FOOD SERVING

Corrosion Resisting Steel tongs. Spring action type. Length shown in inches. Mil Spec Mil-T-40097.



Lg

00-616-1000 6
00-616-0998 9
00-616-0997 12

